

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows.

1. (Original) A packing structure comprising:

- a corrugated-cardboard box for housing a product;
 - a pair of styrofoam members each of which is arranged within the corrugated cardboard box and includes a concave portion for supporting the side of the product; and
 - a corrugated-cardboard packing member arranged to be adjacent to the pair of styrofoam members within the corrugated-cardboard box and includes a bottom housing portion for housing an attachment and a pair of spacer portions which are formed by bending both ends of the bottom housing portion in a square shape and arranged in a gap between the upper surface of the styrofoam members and the inner surface of the corrugated cardboard box,
- wherein the pair of styrofoam members each includes a projection on the upper surface,
- wherein the corrugated-cardboard packing member is formed so that cores of a corrugated cardboard sheet extend in a direction orthogonal to the direction of extending the pair of spacer portions,
- wherein the corrugated-cardboard packing member includes:
- a pair of openings formed by cutting off two predetermined areas of the bottom housing portion in a three edges of a square, respectively and folding back the remaining area downward;
 - an attachment supporting portion located between the pair of openings and having a longitudinal area extending in a direction substantially in parallel to the direction of extending the cores of the corrugated cardboard;

a pair of folding portions arranged between the opposite sides of the pair of styrofoam members and folded back downward in order to form said pair of openings; and

a tip projecting portion formed in such a manner that the tip of the side of each said spacer portions on the side of bottom housing portion project downward from the spacer portions and arranged to be in contact with said projection of each said styrofoam members, respectively in such a manner that the styrofoam member is sandwiched by the tip projecting portion and each of the folding portions.

2. (Currently Amended) A corrugated-cardboard packing member adapted to be adjacent to a pair of holding members for holding a first article arranged within a corrugated cardboard box, the corrugated-cardboard packing member comprising:

a bottom housing portion for housing a second article;

a pair of spacer portions, each spacer portion folded upward from a respective end of said bottom housing portion and arranged in a gap between the upper surface of the pair of holding members and the inner surface of the corrugated cardboard box,

an opening formed by cutting a predetermined area from the bottom housing portion and folding the predetermined area downward, forming a folding portion;

a second article supporting portion adjacent to said opening configured to support a second article;

wherein the folding portion is arranged between the pair of holding members,

wherein each holding member includes a projection on the upper surface,

wherein the pair of spacer portions are formed by bending both ends of the bottom housing portion in a square shape, and
wherein tip projecting portions are formed such that a tip of a side of each spacer portion on a side of bottom housing portion projects downward from each spacer portion and is configured to contact said projection of said holding member, respectively, in such a manner that the holding member is sandwiched by the tip projecting portion and each of the folding portions.

3. (Previously Presented) The corrugated-cardboard packing member according to claim 2, wherein the pair of spacer portions are formed by bending ends of the bottom housing portion in a square shape, and wherein cores of corrugated cardboard of the corrugated-cardboard packing member extend in a direction orthogonal to a direction of extension of said pair of spacer portions.
4. (Previously Presented) The corrugated-cardboard packing member according to claim 2, wherein the second article supporting portion has a longitudinal area extending substantially in parallel to a direction of extension of the cores of said corrugated cardboard.
5. (Canceled)
6. (Previously Presented) The corrugated-cardboard packing member according to claim 2, further comprising:

a second opening formed by cutting a second predetermined area from the bottom housing portion and folding the second predetermined area downward, forming a second folding portion;

wherein the second folding portion is arranged between the pair of holding members.